

INDIAN INSTITUTE OF MANAGEMENT NAGPUR

IIMN/CAO/02/2019-20 dated 02.07.2019



Name of Work: Provision of sliding door & acoustic panels in the existing interaction hall (Yoga hall) for conduct of placement seminars

IIM NAGPUR

Part-II- Price Bid

Bidder Name

Sr.no	Particulars	Quantity	Unit	Rate	Rate in Words	Amount (Rs.)
1	Providing and fixing in position (as per 1868 / 1982) Aluminium sliding door upto 2.5 m height of three tracks with rectangular pipe 95 x 38.10 with door frame bottom track section 92 x 31.75 mm at weight 1.070 kg/Rmt.. Top and side track section 92 x 31.75 mm at weight 0.933 kg/Rmt. The shutter should be of bearing bottom 40 x 18 mm at weight 0.54 kg/Rmt. Inter locking section 40 x 18 mm at weight 0.60 kg/Rmt. and handle and top section 40 x 18 mm at weight 0.547 kg/Rmt. As per detailed drawings and as directed by Engineer incharge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self locking catch fitted in vertical section of shutter including 5 mm thick toughened glass and with all required screws and nuts etc, complete. (minimum thickness of powder coating 50 micron	7.00	Sq.m			

Sr.no	Particulars	Quantity	Unit	Rate	Rate in Words	Amount (Rs.)
2	Providing and fixing in position (as per 1868 / 1982) Aluminium sliding door upto 2.5 m height of four tracks with rectangular pipe 122.20 x 38.10 with door frame bottom track section 122 x 31.75 mm at weight 1.093 kg/Rmt. Top and side track section 92 x 31.75 mm at weight 1.13 kg/Rmt. The shutter should be of bearing bottom 40 x 18 mm at weight 0.54 kg/Rmt. Inter locking section 40 x 18 mm at weight 0.60 kg/Rmt. and handle and top section 40 x 18 mm at weight 0.547 kg/Rmt. As per detailed drawings and as directed by Engineer incharge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self locking catch fitted in vertical section of shutter including 5 mm thick toughened glass and with all required screws and nuts etc, complete. (minimum thickness of powder coating 50 micron	13.00	Sq.m			
3	Providing frosting on glass of approved design or as per the detailed drawing or as directed by Engineer-in-charge.	37	Sq.m			
4	Providing and fixing in position extruded aluminium partitions having frame made out of extruded tubular section of required size with 5 mm clear glass fixed with new neoprene gasket aluminium glazing clips of size 12 mm x 12 mm (conical) as per drawing etc. complete	9	Sq.m			

Sr.no	Particulars	Quantity	Unit	Rate	Rate in Words	Amount (Rs.)
5	Providing and applying plastic emulsion paint of approved quality, colour and shade to old and new surfaces in two coats including scaffolding, preparing the surface. (including the Putty & primer coat)etc. complete.	135	Sq.m			
6	Removing cement tiles, or marble or polished Shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	2	Sq.m			
7	Removing of extruded aluminium partitions having frame made out of extruded tubular section with 5 mm clear glass and stacking it as directed	9	Sq.m			

Sr.no	Particulars	Quantity	Unit	Rate	Rate in Words	Amount (Rs.)
8	Providing and fixing, in position concealed G.I. section for wall panelling using board of required thickness fixed on the 'W' profile (0.55 mm thick) having a knurled web of 51.55 mm and two flanges of 26 mm each with lips of 10.55 mm, placed @ 610 mm C/C in perimeter channel having one flange of 20 mm and another flange of 30 mm with thickness of 0.55 mm and web of length 27 mm. Perimeter channel is fixed on the floor and the ceiling with the nylon sleeves @ 610 mm C/C with fully threaded self tapping dry wall screws. Board is fixed to the 'W' profile with 25 mm countersunk ribbed head screws @ 200 mm C/C., all complete as per the drawing & directions of engineer-in-charge, the joints of the boards are finished with specially formulated jointing compound and 48 mm wide jointing tape to provide seamless finish. 12.5 mm thick with 80 % perforation Gypsum board	38	Sq.m			
	Total					
	ADD % GST					
	GST Amount					
	Grand Total					
Note:	1.All rates are to be quoted excluding the GST applicable. The GST will be paid in addition to the total amount payable.					
	2.The above quantity may vary as per actual requirement of Site.					